

Boyne Business Park,

Drogheda, Co. Louth, Ireland

Tel: +353 41 9845440 Fax: +353 41 9846171 Web: www.fitzsci.ie Email: info@fitzsci.ie

Customer supplied information appear in italics.

Customer John Quinn

Monaghan Co. Co. GWS

Glen Road

Sampled On **Date Testing Commenced**

Lab Report Ref. No.

Date of Receipt

Received or Collected By Fitz: Pick up Derek

2224/104/01

23/01/2023

23/01/2023

23/01/2023

Monaghan, H18 YT50 **Condition on Receipt**

Acceptable 20/02/2023 **Date of Report Drinking Water** Sample Type

Customer PO

Customer Ref

Rakeane, Stranooden E265208/N324229 Ref 2

Audit/Stranooden GWS/2400PRI2021 Ref 3

CERTIFICATE OF ANALYSIS

| T . D . | 600 | | | . | | A |
|---------------------------------------|-----|----------------------|-------|----------|-------------|----------|
| Test Parameter | SOP | Analytical Technique | Limit | Result | Units | Acc. |
| 1,2-Dichloroethane (Potable Water) | 154 | GCMS | 3 | <0.8 | ug/L | INAB |
| 2,3,6-Trichlorobenzoic Acid (Potable) | 543 | LC-MS-MS | 0.1 | <0.017 | ug/L | INAB |
| 2,4-D (Potable) | 543 | LC-MS-MS | 0.1 | <0.0040 | ug/L | INAB |
| 2,4-DB (Potable) | 543 | LC-MS-MS | 0.1 | <0.010 | ug/L | INAB |
| Alkalinity (Potable Water) | 102 | Colorimetry | - | 34 | mg/L CaCO3 | INAB |
| Ammonium (Potable Water as NH4) | 114 | Colorimetry | 0.3 | <0.04 | mg/L as NH4 | INAB |
| Antimony (Potable Water) | 177 | ICPMS | 5 | <2 | ug/L | INAB |
| Arsenic (Potable Water) | 177 | ICPMS | 10 | <2 | ug/L | INAB |
| Atrazine (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Bentazone (Potable) | 543 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Benzene (Potable Water) | 154 | GCMS | 1 | <0.3 | ug/L | INAB |
| Benzo(a)pyrene (Potable) | 575 | GCMS | 0.01 | <0.003 | ug/L | INAB |
| Benzo(b)fluoranthene (Potable) | 575 | GCMS | - | <0.004 | ug/L | INAB |
| Benzo(g,h,i)perylene (Potable) | 575 | GCMS | - | <0.004 | ug/L | INAB |
| Benzo(k)fluoranthene (Potable) | 575 | GCMS | - | <0.004 | ug/L | INAB |
| Boron (Potable Water) mg/L | 177 | ICPMS | 1 | <0.020 | mg/L | INAB |
| Boscalid (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Bromate (Potable water) | 125 | IC | 10 | <2.4 | ug/L | INAB |
| Bromodichloromethane (Potable Water) | 154 | GCMS | - | 8.8 | ug/L | INAB |
| Bromoform (Potable Water) | 154 | GCMS | - | <2.6 | ug/L | INAB |

Katherine M'Quiller Signed: Date: 20/02/2023

Katherine McQuillan - Technical Manager

Acc.: Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific Results contained in this report relate only to the samples tested (P): Presumptive Results





^{**:} The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

^{*} Subcontracted *



Boyne Business Park,

Drogheda, Co. Louth, Ireland

Tel: +353 41 9845440 Fax: +353 41 9846171 Web: www.fitzsci.ie Email: info@fitzsci.ie

Customer supplied information appear in italics.

Customer John Quinn

Monaghan Co. Co. GWS

Glen Road

Date Testing Commenced

Lab Report Ref. No.

Date of Receipt

Sampled On

Received or Collected By Fitz: Pick up Derek

Monaghan, H18 YT50 **Condition on Receipt**

Date of Report

Acceptable

2224/104/01

23/01/2023

23/01/2023

23/01/2023

20/02/2023 **Drinking Water** Sample Type

Customer PO

Customer Ref Ref 2

Rakeane, Stranooden E265208/N324229

Audit/Stranooden GWS/2400PRI2021 Ref 3

CERTIFICATE OF ANALYSIS

| Test Parameter | SOP | Analytical Technique | Limit | Result | Units | Acc. |
|--------------------------------------|-----|----------------------|-------|----------|-----------|------|
| Cadmium (Potable Water) | 177 | ICPMS | 5 | <1 | ug/L | INAB |
| Chlorfenvinphos (Potable) | 540 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Chloride (Potable Water) | 100 | Colorimetry | 250 | 19.5 | mg/L | INAB |
| *Chlorine (Free)* | 0 | By Subcontractor | 0.1 | 0.4 | mg/L | |
| *Chlorine (Total)* | 0 | By Subcontractor | 0.1 | 1.2 | mg/L | |
| Chloroform (Potable Water) | 154 | GCMS | - | 48.3 | ug/L | INAB |
| Chlorpropham (Potable) | 575 | GCMS | 0.1 | < 0.0043 | ug/L | INAB |
| Chlortoluron (Potable) | 540 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Chromium (Potable Water) | 177 | ICPMS | 50 | <4 | ug/L | INAB |
| Clopyralid (Potable) | 543 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Clostridia perfringens(Potable)P | 161 | Anaerobic Incubation | 0 | 0 | cfu/100ml | INAB |
| Copper (Potable Water) mg/L | 177 | ICPMS | 2 | 0.004 | mg/L | INAB |
| *Cyanide* | 0 | By Subcontractor | 50 | 1.6 | ug/L | Yes |
| Cypermethrin (Potable) | 575 | GCMS | 0.1 | <0.007 | ug/L | INAB |
| Diazinon (Potable) | 540 | LC-MS-MS | 0.1 | <0.02 | ug/L | INAB |
| Dibromochloromethane (Potable Water) | 154 | GCMS | - | <1.4 | ug/L | INAB |
| Dicamba (Potable) | 543 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Dichlobenil (Potable) | 575 | GCMS | 0.1 | <0.002 | ug/L | INAB |
| Dichlorprop (Potable) | 543 | LC-MS-MS | 0.1 | <0.0036 | ug/L | INAB |
| Dieldrin (Potable) | 575 | GCMS | 0.1 | <0.006 | ug/L | INAB |

Katherine M'Quiller Signed: Date: 20/02/2023

Katherine McQuillan - Technical Manager

Acc.: Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P): Presumptive Results





^{**:} The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

^{*} Subcontracted *



Boyne Business Park,

Drogheda, Co. Louth, Ireland

Tel: +353 41 9845440 Fax: +353 41 9846171 Web: www.fitzsci.ie Email: info@fitzsci.ie

Customer supplied information appear in italics.

Customer John Quinn

Monaghan Co. Co. GWS

Glen Road

Date of Receipt Sampled On **Date Testing Commenced**

Lab Report Ref. No.

23/01/2023 23/01/2023 23/01/2023

2224/104/01

Received or Collected

By Fitz: Pick up Derek

Monaghan, H18 YT50

Condition on Receipt Date of Report

Acceptable

Sample Type

20/02/2023 **Drinking Water**

Customer PO

Customer Ref Ref 2

Rakeane, Stranooden E265208/N324229

Audit/Stranooden GWS/2400PRI2021 Ref 3

CERTIFICATE OF ANALYSIS

| Test Parameter | SOP | Analytical Technique | Limit | Result | Units | Acc. |
|----------------------------------|-----|-----------------------------|-------|----------|-------------|------|
| Diflufenican (Potable) | 540 | LC-MS-MS | 0.1 | <0.01 | ug/L | INAB |
| Diuron (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Enterococci (Potable)C | 153 | Filtration / Incubation | 0 | 0 | cfu/100ml | INAB |
| Epoxiconazole (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Fluoride (Potable Water) | 115 | Colorimetry | 8.0 | 0.09 | mg/L | INAB |
| Fluoroxypyr (Potable) | 543 | LC-MS-MS | 0.1 | <0.010 | ug/L | INAB |
| Glyphosate (Potable) | 579 | LCMS/MS With Derivitisation | - | <0.01 | ug/L | INAB |
| Hardness Total (Potable Water) | 111 | Colorimetry | - | 72 | mg/L CaCO3 | INAB |
| Indeno(1,2,3-cd)pyrene (Potable) | 575 | GCMS | - | <0.003 | ug/L | INAB |
| Isoproturon (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Lead (Potable Water) | 177 | ICPMS | 10 | <1 | ug/L | INAB |
| Linuron (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Manganese (Potable) | 177 | ICPMS | 50 | 4 | ug/L | INAB |
| MCPA (Potable) | 543 | LC-MS-MS | 0.1 | <0.0030 | ug/L | INAB |
| Mecoprop (Potable) | 543 | LC-MS-MS | 0.1 | < 0.0037 | ug/L | INAB |
| Mercury (Potable water) | 178 | ICPMS | 1 | <0.15 | ug/L | INAB |
| Metaldehyde (Potable) | 557 | LC-MS-MS | 0.1 | <0.015 | ug/L | INAB |
| Metazachlor (Potable) | 540 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Nickel (Potable Water) | 177 | ICPMS | 20 | 2 | ug/L | INAB |
| Nitrate (Potable Water as NO3) | 103 | Colorimetry | 50 | 8.46 | mg/L as NO3 | INAB |

Katherine M'Quiller Signed: Date: 20/02/2023

Katherine McQuillan - Technical Manager

Acc.: Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P): Presumptive Results





^{**:} The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

^{*} Subcontracted *



Boyne Business Park,

Drogheda, Co. Louth, Ireland

Tel: +353 41 9845440 Fax: +353 41 9846171 Web: www.fitzsci.ie Email: info@fitzsci.ie

Customer supplied information appear in italics.

Customer John Quinn

Customer PO

Monaghan Co. Co. GWS

Glen Road

Date of Receipt
Sampled On
Date Testing Commenced

Lab Report Ref. No.

Received or Collected By Fitz: Pick up Derek

Condition on Receipt
Date of Report

Sample Type

Acceptable 20/02/2023

Drinking Water

2224/104/01

23/01/2023

23/01/2023

23/01/2023

Monaghan,H18 YT50

Customer Ref Rakeane, Stranooden Ref 2 E265208/N324229

Ref 3 Audit/Stranooden GWS/2400PRI2021

CERTIFICATE OF ANALYSIS

| Test Parameter | SOP | Analytical Technique | Limit | Result | Units | Acc. |
|---|-----|----------------------|-----------|---------|-------------|------|
| Nitrite (Potable Water as NO2) | 118 | Colorimetry | 0.5 | <0.099 | mg/L as NO2 | INAB |
| PAH (Sum of 4) (Potable) | 575 | GCMS | 0.1 | <0.003 | ug/L | INAB |
| Pendimethalin (Potable) | 540 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Pentachlorophenol (Potable) | 543 | LC-MS-MS | 0.1 | 0.010 | ug/L | INAB |
| Pesticides Total (Potable) | 0 | Calculation | 0.5 | 0.010 | ug/L | |
| pH (Potable Water) | 110 | Electrometry | 6.5 - 9.5 | 7.41 | pH Units | INAB |
| Picloram (Potable) | 543 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Propyzamide (Potable) | 540 | LC-MS-MS | 0.1 | <0.007 | ug/L | INAB |
| Selenium (Potable Water) | 177 | ICPMS | 10 | <3 | ug/L | INAB |
| Simazine (Potable) | 540 | LC-MS-MS | 0.1 | <0.003 | ug/L | INAB |
| Sodium (Potable Water) | 184 | ICPMS | 200 | 16.2 | mg/L | INAB |
| Sulphate (Potable Water) | 119 | Colorimetry | 250 | 40 | mg/L as SO4 | INAB |
| *Temperature (On site)* | 0 | By Subcontractor | = | 13.5 | degree C | |
| Tetrachloroethene & Trichloroethene (Potable) | 154 | GCMS | 10 | <2.32 | ug/L | INAB |
| THM Total (Potable Water) | 154 | GCMS | 100 | 57.1 | ug/L | |
| TOC (Potable Water) | 316 | TOC Analyser | - | 5.7 | mg/L | INAB |
| Triclopyr (Potable) | 543 | LC-MS-MS | 0.1 | <0.0040 | ug/L | INAB |

Signed: Katherine M'auller Date: 20/02/2023

Katherine McQuillan - Technical Manager

Acc.: Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P): Presumptive Results





^{*} Subcontracted *

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.