

A copy of this certificate is available on [www.fitzsci.ie](http://www.fitzsci.ie).

<b>Customer</b>	<b>John Quinn</b> <b>Monaghan Co. Co. GWS</b> <b>Glen Road</b>	<b>Lab Report Ref. No.</b>	<b>2224/145/01</b>
		<b>Date of Receipt</b>	<b>10/10/2023</b>
		<b>Sampled On</b>	<b>10/10/2023</b>
		<b>Date Testing Commenced</b>	<b>10/10/2023</b>
		<b>Received or Collected</b>	<b>By Fitz: Rafal</b>
	<b>Monaghan, H18 YT50</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>03/11/2023</b>
<b>Customer Ref</b>	<b>4 The Meadows Annacroft A81DP60</b>	<b>Sample Type</b>	<b>Drinking Water</b>
<b>Ref 2</b>	<b>E286735/N303384</b>		
<b>Ref 3</b>	<b>Audit/Killany GWS/2400PRI2018</b>		

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Limit	Result	Units	Acc.
1,2-Dichloroethane (Potable Water)	154	GCMS	3	<0.8	ug/L	INAB
2,3,6-Trichlorobenzoic Acid (Potable)	543	LC-MS-MS	0.1	<0.017	ug/L	INAB
2,4-D (Potable)	543	LC-MS-MS	0.1	<0.004	ug/L	INAB
2,4-DB (Potable)	543	LC-MS-MS	0.1	<0.01	ug/L	INAB
Alkalinity (Potable Water)	102	Colorimetry	-	172	mg/L CaCO <sub>3</sub>	INAB
Ammonium (Potable Water as NH <sub>4</sub> )	114	Colorimetry	0.5	<0.04	mg/L as NH <sub>4</sub>	INAB
Antimony (Potable Water)	177	ICPMS	10	<2	ug/L	INAB
Arsenic (Potable Water)	177	ICPMS	10	<2	ug/L	INAB
Atrazine (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Bentazone (Potable)	543	LC-MS-MS	0.1	<0.007	ug/L	INAB
Benzene (Potable Water)	154	GCMS	1	<0.3	ug/L	INAB
Benzo(a)pyrene (Potable)	575	GCMS	0.01	<0.003	ug/L	INAB
Benzo(b)fluoranthene (Potable)	575	GCMS	-	<0.004	ug/L	INAB
Benzo(g,h,i)perylene (Potable)	575	GCMS	-	<0.004	ug/L	INAB
Benzo(k)fluoranthene (Potable)	575	GCMS	-	<0.004	ug/L	INAB
Boron (Potable Water) mg/L	177	ICPMS	1.5	<0.02	mg/L	INAB
Boscalid (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Bromate (Potable water)	125	IC	10	<2.4	ug/L	INAB
Bromodichloromethane (Potable Water)	154	GCMS	-	17.4	ug/L	INAB
Bromoform (Potable Water)	154	GCMS	-	<2.6	ug/L	INAB



**Signed:**

*A Harmon*

**Date: 03/11/2023**

**Aoife Harmon - Laboratory Supervisor**

Acc. : Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P) : Presumptive Results

\*\* : The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

\* Subcontracted \*

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request.

Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

Metaldehyde LOD increased due to dilution reported



A copy of this certificate is available on [www.fitzsci.ie](http://www.fitzsci.ie).

<b>Customer</b>	<b>John Quinn</b> <b>Monaghan Co. Co. GWS</b> <b>Glen Road</b>	<b>Lab Report Ref. No.</b>	<b>2224/145/01</b>
		<b>Date of Receipt</b>	<b>10/10/2023</b>
		<b>Sampled On</b>	<b>10/10/2023</b>
		<b>Date Testing Commenced</b>	<b>10/10/2023</b>
		<b>Received or Collected</b>	<b>By Fitz: Rafal</b>
		<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>	<b>Monaghan, H18 YT50</b>	<b>Date of Report</b>	<b>03/11/2023</b>
<b>Customer Ref</b>	<b>4 The Meadows Annacroft A81DP60</b>	<b>Sample Type</b>	<b>Drinking Water</b>
<b>Ref 2</b>	<b>E286735/N303384</b>		
<b>Ref 3</b>	<b>Audit/Killany GWS/2400PRI2018</b>		

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Limit	Result	Units	Acc.
Cadmium (Potable Water)	177	ICPMS	5	<1	ug/L	INAB
Chlorfenvinphos (Potable)	540	LC-MS-MS	0.1	<0.007	ug/L	INAB
Chloride (Potable Water)	100	Colorimetry	250	46.0	mg/L	INAB
Chlorine (Free residual on site)	117	Colorimetry	0.1	0.83	mg/L	
Chlorine (Total residual on site)	117	Colorimetry	0.1	1.16	mg/L	
Chloroform (Potable Water)	154	GCMS	-	34.1	ug/L	INAB
Chlorpropham (Potable)	575	GCMS	0.1	<0.0043	ug/L	INAB
Chlortoluron (Potable)	540	LC-MS-MS	0.1	<0.007	ug/L	INAB
Chromium (Potable Water)	177	ICPMS	50	<4	ug/L	INAB
Clopyralid (Potable)	543	LC-MS-MS	0.1	<0.007	ug/L	INAB
Clostridia perfringens(Potable)P	161	Anaerobic Incubation	0	0	cfu/100ml	INAB
Copper (Potable Water) mg/L	177	ICPMS	2	0.025	mg/L	INAB
*Cyanide (Total)*	0	By Subcontractor	-	<1.2	ug/L	Yes
Cypermethrin (Potable)	575	GCMS	0.1	<0.007	ug/L	INAB
Diazinon (Potable)	540	LC-MS-MS	0.1	<0.02	ug/L	INAB
Dibromochloromethane (Potable Water)	154	GCMS	-	6.9	ug/L	INAB
Dicamba (Potable)	543	LC-MS-MS	0.1	<0.003	ug/L	INAB
Dichlobenil (Potable)	575	GCMS	0.1	<0.002	ug/L	INAB
Dichlorprop (Potable)	543	LC-MS-MS	0.1	<0.0036	ug/L	INAB
Dieldrin (Potable)	575	GCMS	0.1	<0.006	ug/L	INAB



**Signed:**

*A Harmon*

**Date: 03/11/2023**

**Aoife Harmon - Laboratory Supervisor**

Acc. : Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P) : Presumptive Results

\*\* : The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

\* Subcontracted \*

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request.

Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

Metaldehyde LOD increased due to dilution reported



A copy of this certificate is available on [www.fitzsci.ie](http://www.fitzsci.ie).

<b>Customer</b>	<b>John Quinn</b> <b>Monaghan Co. Co. GWS</b> <b>Glen Road</b>	<b>Lab Report Ref. No.</b>	<b>2224/145/01</b>
		<b>Date of Receipt</b>	<b>10/10/2023</b>
		<b>Sampled On</b>	<b>10/10/2023</b>
		<b>Date Testing Commenced</b>	<b>10/10/2023</b>
		<b>Received or Collected</b>	<b>By Fitz: Rafal</b>
	<b>Monaghan, H18 YT50</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>03/11/2023</b>
<b>Customer Ref</b>	<b>4 The Meadows Annacroft A81DP60</b>	<b>Sample Type</b>	<b>Drinking Water</b>
<b>Ref 2</b>	<b>E286735/N303384</b>		
<b>Ref 3</b>	<b>Audit/Killany GWS/2400PRI2018</b>		

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Limit	Result	Units	Acc.
Diflufenican (Potable)	540	LC-MS-MS	0.1	<0.010	ug/L	INAB
Diuron (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
*Epichlorohydrin (Acc)*	0	By Subcontractor	-	<0.10	ug/L	Yes
Epoxiconazole (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Fluoride (Potable Water)	115	Colorimetry	0.8	0.08	mg/L	INAB
Fluoroxypyr (Potable)	543	LC-MS-MS	0.1	<0.01	ug/L	INAB
Glyphosate (Potable)	579	LCMS/MS With Derivatisation	0.1	<0.01	ug/L	INAB
Hardness Total (Potable Water)	111	Colorimetry	-	229	mg/L CaCO <sub>3</sub>	INAB
Indeno(1,2,3-cd)pyrene (Potable)	575	GCMS	-	<0.003	ug/L	INAB
Isoproturon (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Lead (Potable Water)	177	ICPMS	10	1	ug/L	INAB
Linuron (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Manganese (Potable)	177	ICPMS	50	<3	ug/L	INAB
MCPA (Potable)	543	LC-MS-MS	0.1	<0.003	ug/L	INAB
Mecoprop (Potable)	543	LC-MS-MS	0.1	<0.0037	ug/L	INAB
Mercury (Potable water)	178	ICPMS	1	<0.15	ug/L	INAB
Metaldehyde (Potable)	557	LC-MS-MS	0.1	<0.03	ug/L	INAB
Metazachlor (Potable)	540	LC-MS-MS	0.1	<0.007	ug/L	INAB
Nickel (Potable Water)	177	ICPMS	20	3	ug/L	INAB
Nitrate (Potable Water as NO <sub>3</sub> )	103	Colorimetry	50	9.70	mg/L as NO <sub>3</sub>	INAB



**Signed:**

*A Harmon*

**Date: 03/11/2023**

**Aoife Harmon - Laboratory Supervisor**

Acc. : Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P) : Presumptive Results

\*\* : The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

\* Subcontracted \*

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request.

Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

Metaldehyde LOD increased due to dilution reported



A copy of this certificate is available on [www.fitzsci.ie](http://www.fitzsci.ie).

<b>Customer</b>	<b>John Quinn</b> <b>Monaghan Co. Co. GWS</b> <b>Glen Road</b>	<b>Lab Report Ref. No.</b>	<b>2224/145/01</b>
		<b>Date of Receipt</b>	<b>10/10/2023</b>
		<b>Sampled On</b>	<b>10/10/2023</b>
		<b>Date Testing Commenced</b>	<b>10/10/2023</b>
		<b>Received or Collected</b>	<b>By Fitz: Rafal</b>
	<b>Monaghan, H18 YT50</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>03/11/2023</b>
<b>Customer Ref</b>	<b>4 The Meadows Annacroft A81DP60</b>	<b>Sample Type</b>	<b>Drinking Water</b>
<b>Ref 2</b>	<b>E286735/N303384</b>		
<b>Ref 3</b>	<b>Audit/Killany GWS/2400PRI2018</b>		

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Limit	Result	Units	Acc.
Nitrite (Potable Water as NO <sub>2</sub> )	118	Colorimetry	0.5	<0.099	mg/L as NO <sub>2</sub>	INAB
PAH (Sum of 4) (Potable)	575	GCMS	0.1	<0.003	ug/L	INAB
Pendimethalin (Potable)	540	LC-MS-MS	0.1	<0.007	ug/L	INAB
Pentachlorophenol (Potable)	543	LC-MS-MS	0.1	<0.007	ug/L	INAB
Pesticides Total (Potable)	0	Calculation	0.5	<0.002	ug/L	
pH (Potable Water)	110	Electrometry	6.5 - 9.5	7.23	pH Units	INAB
Picloram (Potable)	543	LC-MS-MS	0.1	<0.007	ug/L	INAB
Propyzamide (Potable)	540	LC-MS-MS	0.1	<0.007	ug/L	INAB
Selenium (Potable Water)	177	ICPMS	20	<3	ug/L	INAB
Simazine (Potable)	540	LC-MS-MS	0.1	<0.003	ug/L	INAB
Sodium (Potable Water)	184	ICPMS	200	12.9	mg/L	INAB
Sulphate (Potable Water)	119	Colorimetry	250	11	mg/L as SO <sub>4</sub>	INAB
Temperature (On site)	120	Thermometer	-	16.3	degree C	
Tetrachloroethene & Trichloroethene (Potable)	154	GCMS	10	<2.32	ug/L	INAB
THM Total (Potable Water)	154	GCMS	100	58.4	ug/L	INAB
TOC (Potable Water)	316	TOC Analyser	-	3.2	mg/L	INAB
Triclopyr (Potable)	543	LC-MS-MS	0.1	<0.004	ug/L	INAB
Vinyl chloride (IW Potable Water)	154	GCMS	-	<0.07	ug/L	



**Signed:**

*A. Harmon*

**Date: 03/11/2023**

**Aoife Harmon - Laboratory Supervisor**

Acc. : Accredited Parameters by ISO/IEC 17025:2017

Limit as per Monaghan Co Co

For bacterial analysis a result of 0 means none detected in volume examined

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P) : Presumptive Results

\*\* : The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

\* Subcontracted \*

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request.

Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

Metaldehyde LOD increased due to dilution reported

